

# Nextcloud installation on keyhelp host

## Inhaltsverzeichnis

- [1 Nextcloud installation in keyhelp](#)
  - [1.1 Setup keyhelp domain/user](#)
- [2 Setup nextcloud](#)
  - [2.1 Install nextcloud](#)
- [3 Setup memcache & redis](#)
  - [3.1 Install APCU for php](#)
  - [3.2 Install redis server](#)

Nextcloud installation in keyhelp

I had a lot of difficulties with Nextcloud settings in conjunction with Keyhelp. I don't want to make a statement about the two software(s), it's just the reason why you have to read this crap. This tutorial describes individual paths and not an entire process. Depending on the system, a step may be missing or added. So if you have problems with your Nextcloud instance despite the instructions, feel free to open a relevant topic in the forum here ;)

## 1 Nextcloud installation in keyhelp

I had a lot of difficulties with Nextcloud settings in conjunction with Keyhelp. I don't want to make a statement about the two software(s), it's just the reason why you have to read this crap. This tutorial describes individual paths and not an entire process. Depending on the system, a step may be missing or added. So if you have problems with your Nextcloud instance despite the instructions, feel free to open a relevant topic in the forum here  !winking\_face: type unknown

### 1.1 Setup keyhelp domain/user

To begin with, it is enough to create a new domain in Keyhelp. Personally, I recommend having your own user for the Nextcloud instance as you have to make some custom settings.

**Add "Security settings / SSL settings:**

Spoiler anzeigen

```
Enable SSL support
Set HSTS to 15552000 seconds (or 180 days)
```



Add "Additional php configuration" with the below settings:

Spoiler anzeigen

Code

```
opcache.enable_cli=1
opcache.interned_strings_buffer=8
opcache.max_accelerated_files=10000
opcache.memory_consumption=128
opcache.save_comments=1
opcache.revalidate_freq=1
```

Edit php's disable\_functions

default

```
apache_child_terminate, apache_note, apache_setenv, curl_multi_exec,
define_syslog_variables, dl, exec, link, openlog, passthru, pcntl_exec,
pcntl_fork, pcntl_setpriority, popen, posix_getpwuid, posix_kill, posix_mkfifo,
posix_setpgid, posix_setsid, posix_setuid, proc_close, proc_get_status,
proc_nice, proc_open, proc_terminate, shell_exec, stream_socket_sendto, symlink,
syslog, system
```

and we enable all posix features

```
posix_getpwuid, posix_kill, posix_mkfifo, posix_setpgid, posix_setsid,
posix_setuid,
```

after:


```
apache_child_terminate, apache_note, apache_setenv, curl_multi_exec,
define_syslog_variables, dl, exec, link, openlog, passthru, pcntl_exec,
pcntl_fork, pcntl_setpriority, popen, proc_close, proc_get_status, proc_nice,
proc_open, proc_terminate, shell_exec, stream_socket_sendto, symlink, syslog,
system
```

## 2 Setup nextcloud


### 2.1 Install nextcloud

Download nextcloud web installer (community project)

<https://download.nextcloud.com/server/installer/setup-nextcloud.php>



*(Use Keyhelp's built-in file manager to upload the "setup-nextcloud.php" to the designated folder with the new user (from step 1))*



*You should also give the file "occ" the rights 744.*

**Now navigate to**

`https://www.domain.de/nextcloud-setup.php`

in your browser and let the Nextcloud assistant guide you through the rest of the process.

*Personally, I advise you to put the "data" directory not in the www but in the files folder*

## 3 Setup memcache & redis

### 3.1 Install APCU for php

Code

```
sudo apt install php-apcu
```

### 3.2 Install redis server

Code

```
sudo apt install redis-server php-redis
```

**Now open redis configuration**

Change port 6379 to port 0

Change # unixsocket /var/run/redis/redis-server.sock to unixsocket  
/var/run/redis/redis-server.sock

From the line below make unixsocketperm 770

## Now we're adding your new keyhelp domain user to the redis group

Code

```
sudo usermod -a -G redis <yourKeyhelpDomainUser>
```

## Restart your redis & apache2 server

Code

```
sudo service redis-server restart
sudo service apache2 restart
```

## Last but not least edit your nextcloud config.php stored in config directory of your nextcloud installation

Code

```
'memcache.local' => '\\OC\\Memcache\\APCu',
'filelocking.enabled' => 'true',
'memcache.locking' => '\\OC\\Memcache\\Redis',
'redis' => array(
    'host'
),
```

As already mentioned at the beginning: If you encounter any problems, I would be happy to read from you here soon !

## Best regards

Alexander

Sorry [Blacksonny](#) for the delay !