

Nextcloud installation on keyhelp host

Inhaltsverzeichnis

- [1 Nextcloud installation in keyhelp](#)
- [2 Setup keyhelp domain/user](#)
- [3 3\) Edit php's disable_functions](#)
- [4 apache_child_terminate, apache_note, apache_setenv, curl_multi_exec, define_syslog_variables, dl, exec, link, openlog, passthru, pcntl_exec, pcntl_fork, pcntl_setpriority, popen, posix_getpwuid, posix_kill, posix_mkfifo, posix_setpgid, posix_setsid, posix_setuid, proc_close, proc_get_status, proc_nice, proc_open, proc_terminate, shell_exec, stream_socket_sendto, symlink, syslog, systemand we enable all posix features](#)
- [5 after:](#)
- [6 apache_child_terminate, apache_note, apache_setenv, curl_multi_exec, define_syslog_variables, dl, exec, link, openlog, passthru, pcntl_exec, pcntl_fork, pcntl_setpriority, popen, proc_close, proc_get_status, proc_nice, proc_open, proc_terminate, shell_exec, stream_socket_sendto, symlink, syslog, systemSetup nextcloud instance](#)
- [7 Install nextcloud](#)
- [8 Setup memcache & redis](#)

Nextcloud installation in keyhelp

I had a lot of difficulties with Nextcloud settings in conjunction with Keyhelp. I don't want to make a statement about the two software(s), it's just the reason why you have to read this crap. This tutorial describes individual paths and not an entire process. Depending on the system, a step may be missing or added. So if you have problems with your Nextcloud instance despite the instructions, feel free to open a relevant topic in the forum here ;)

1 Nextcloud installation in keyhelp

I had a lot of difficulties with Nextcloud settings in conjunction with Keyhelp. I don't want to make a statement about the two software(s), it's just the reason why you have to read this crap. This tutorial describes individual paths and not an entire process. Depending on the system, a step may be missing or added. So if you have problems with your Nextcloud instance despite the instructions, feel free to open a relevant topic in the forum here ;)
Image not found or type unknown

2 Setup keyhelp domain/user

To begin with, it is enough to create a new domain in Keyhelp. Personally, I recommend having your own user for the Nextcloud instance as you have to make some custom settings.

1) Add "Security settings / SSL settings:

Spoiler anzeigen

```
Enable SSL support
Set HSTS to 15552000 seconds (or 180 days)
```



2) Add "Additional php configuration" with the below settings:

Spoiler anzeigen
Code

```
opcache.enable_cli=1
opcache.interned_strings_buffer=8
opcache.max_accelerated_files=10000
opcache.memory_consumption=128
opcache.save_comments=1
opcache.revalidate_freq=1
```

3) Edit php's disable_functions

default

4 **apache_child_terminate, apache_note, apache_setenv, curl_multi_exec, define_syslog_variables, dl, exec, link, openlog, passthru, pcntl_exec, pcntl_fork, pcntl_setpriority, popen, posix_getpwuid, posix_kill, posix_mkfifo, posix_setpgid, posix_setsid, posix_setuid, proc_close, proc_get_status, proc_nice, proc_open, proc_terminate, shell_exec, stream_socket_sendto, symlink, syslog, systemand we enable all posix features**

```
posix_getpwuid,    posix_kill,    posix_mkfifo,    posix_setpgid,    posix_setsid,
posix_setuid,
```


5 after:

6 **apache_child_terminate, apache_note, apache_setenv, curl_multi_exec, define_syslog_variables, dl, exec, link, openlog, passthru, pcntl_exec, pcntl_fork, pcntl_setpriority, popen, proc_close, proc_get_status, proc_nice, proc_open, proc_terminate, shell_exec, stream_socket_sendto, symlink, syslog, systemSetup nextcloud instance**


7 Install nextcloud

1) Download nextcloud web installer (community project)

<https://download.nextcloud.com/server/installer/setup-nextcloud.php>



(Use Keyhelp's built-in file manager to upload the "setup-nextcloud.php" to the designated folder with the new user (from step 1))



You should also give the file "occ" the rights 744.

2) Now navigate to

`https://www.domain.de/nextcloud-setup.php`

in your browser and let the Nextcloud assistant guide you through the rest of the process.

Personally, I advise you to put the "data" directory not in the www but in the files folder

8 Setup memcache & redis

1) Install APCU for php

Code

```
sudo apt install php-apcu
```

2) Install redis server

Code

```
sudo apt install redis-server php-redis
```

3) Now open redis configuration

Change port 6379 to port 0

Change # unixsocket /var/run/redis/redis-server.sock to unixsocket

```
/var/run/redis/redis-server.sock
From the line below make unixsocketperm 770
```

4) Now we're adding your new keyhelp domain user to the redis group

Code

```
sudo usermod -a -G redis <yourKeyhelpDomainUser>
```

4) Restart your redis & apache2 server

Code

```
sudo service redis-server restart
sudo service apache2 restart
```

5) Last but not least edit your nextcloud config.php stored in config directory of your nextcloud installation

Code

```
'memcache.local' => '\\OC\\Memcache\\APCu',
'filelocking.enabled' => 'true',
'memcache.locking' => '\\OC\\Memcache\\Redis',
'redis' => array(
    'host'
),
```

As already mentioned at the beginning: If you encounter any problems, I would be happy to read from you here soon ☺

Best regards

Alexander

Sorry [Blacksonny](#) for the delay ☺